AV39Y3ETM brand



3.9 RM

- Next generation Late Group III Enlist E3® soy
- Resistant to Brown Stem Rot and Stem Canker
- K gene for Phytophthora root rot prone areas
- Good tolerance to early metribuzin applications



DISEASE TOLERANCE	
PHYTOPHTHORA ROOT ROT RATING	3
PHYTOPHTHORA ROOT ROT GENE	K
SUDDEN DEATH	4
BROWN STEM ROT	1
IRON DEFICIENCY	3
ROOT-KNOT NEMATODE	N/A
WHITE MOLD	N/A
SCN SOURCE	88788

SUDDEN DEATH	4	
BROWN STEM ROT	1	
IRON DEFICIENCY	3	
ROOT-KNOT NEMATODE	N/A	
WHITE MOLD	N/A	
SCN SOURCE	88788	
MANAGEMENT RECOMMENDATIONS		
WIDE ROWS	3	
NARROW ROWS	1	

MANAGEMENT RECOMMENDATIONS		
WIDE ROWS	3	
NARROW ROWS	1	
HIGHER POPULATIONS	DP	
LOWER POPULATIONS	DP	
IRRIGATION	1	
HIGH ORGANIC	DP	
LIGHT & SANDY SOILS	3	
CLAY & VARIABLE SOILS	DP	
LATE PLANTING	3	

CHARACTERISTICS		
PLANT HEIGHT	Medium	
PLANT WIDTH	Medium Thin	
FLOWER COLOR	White	
HILUM COLOR	Black	
POD COLOR	Brown	
PUBESCENCE COLOR	Light Tawny	
GROWTH TYPE	Indeterminate	
METRIBUZEN TOLERANCE	Tolerant	
PPO TOLERANCE	Tolerant	

AGRONOMICS		
EMERGENCE	3	
STANDABILITY	3	



AgVenture.com/soybeans

IMPORTANT: Characteristic scores provide key information useful in selecting and managing products in your area. Information and ratings are based on comparisons with other products sold by AgVenture, Inc.. Individual results may vary, and performance may vary from location to location and from year to year. This result may not be an indicator of results you may obtain as local growing, soil and weather conditions may vary. Growers should ev aluate data from multiple locations and years whenever possible. Scores represent an average of performance data across areas of adaptation, multiple growing conditions, and a wide range of both climate and soil types, and may not predict future results. Individual product responses are variable and subject to a variety of env ironmental, disease and pest pressures. Please use this information as only one component of your product positioning decision.

The transgenic soybean event in Enlist E3® soybeans is jointly developed and owned by Corteva Agriscience and M.S. Technologies L.L.C.

Following burndown, Enlist Duo® and Enlist One® herbicides with Colex-D® technology are the only herbicides containing 2,4-D that are authorized for preemergence and postemergence use with Enlist® crops. Consult Enlist® herbicide labels for weed species controlled. Enlist Duo and Enlist One herbicides are not registered for use or sale in all states and counties; are not registered in AK, CA, CT, HI, ID, MA, ME, MT, MH, NY, OR, RI, UT, VT, WA and WY; and have additional subcounty restrictions in AL, GA, TN and TX, while existing county restrictions still remain in FL. All users must check "Bulletins Live! Two" no earlier than six months before using Enlist One or Enlist Duo. To obtain "Bulletins," consult epa_sow/espp/, call 1-844-447-3813, or email ESPP@epa_gov. You must use the "Bulletin Valid for the month and state and county in which Enlist One or Enlist Duo are being applied. Contact your state pesticide regulatory agency if you have questions about the registration status of Enlist® herbicides in your area. ALWAYS READ AND FOLLOW PESTICIDE LABEL DIRECTIONS. IT IS A VIOLATION OF FEDERAL AND STATE LAW TO USE ANY PESTICIDE PRODUCT OTHER THAN IN ACCORDANCE WITH ITS LABELING. ONLY USE FORMULATIONS THAT ARE SPECIFICALLY LABELED FOR SUCH USE IN THE STATE OF APPLICATION. USE OF PESTICIDE PRODUCTS, INCLUDING, WITHOUT LIMITATION, 2.4-D-CONTAINING PRODUCTS NOT AUTHORIZED FOR USE WITH ENLIST CROPS, MAY RESULT IN OFF-TARGET DAMAGE TO SENSITIVE CROPS/AREAS AND/OR SUSCEPTIBLE PLANTS, IN ADDITION TO CIVIL AND/OR CRIMINAL PENALTIES. Additional product-specific stewardship requirements for Enlist crops, including the Enlist Product Use Guide, can be found at www.traitstewardship.com. Enlist Duo® and Enlist One® herbicides are not registered for sale or use in all states or counties. Contact your state pesticide regulatory agency to determine if a product is registered for sale or use in your area. Enlist Duo and Enlist One are the only 2,4-D products authorized for use with Enlist crops.

Always follow stewardship practices in accordance with the Product Use Guide (PUG) or other product-specific stewardship requirements including grain marketing and pesticide label directions. Varieties with BOLT® technology provide excellent plant-back flexibility for soybeans following application of sulfonylurea (SU) herbicides such as DuPontTM LeadOff® or DuPontTM Basis® Blend as a component of a burndown program or for double-crop soybeans following SU herbicides such as DuPontTM Finesse® applied to wheat the previous fall.

Corteva Agriscience is a member of Excellence Through Stewardship® (ETS). Corteva Agriscience products are commercialized in accordance with ETS Product Launch Stewardship Guidance and in compliance with the Corteva Agriscience policies regarding stewardship of those products. In line with these guidelines, our product launch process for responsible launches of new products includes a longstanding process to evaluate export market information, value chain consultations, and regulatory functionality. Growers and end-users must take all steps within their control to follow appropriate stewardship requirements and confirm their buyer's acceptance of the grain or other material being purchased. For more detailed information on the status of a trait or stack, please visit www.biotradestatus. com. Excellence Through Stewardship® is a registered trademark of Excellence Through Stewardship.

Components of LumiGENTM seed treatments are applied at a Corteva Agriscience production facility, or by an independent sales representative of Corteva Agriscience or its affiliates. Not all sales representatives offer treatment services, and costs and other charges may vary. See your sales representative for details. Seed applied technologies exclusive to Corteva Agriscience











